

Shri Swami Vivekanand Shikshan Sanstha, Kolhapur.

Ref. No. Est/college/ 4357

8080192625856

Date 26 OCT 2021


APPOINTMENT ORDER

From :
Secretary,
Shri Swami Vivekanand Shikshan Sanstha,
2130, E, Tarabai Park, Kolhapur.

To,
Shinde Bhairu Nathaji
M.Sc., Ph.D., Botany
At. Shindewadi, Po. Khupire
Tal-Karveer, Dist-Kolhapur

With reference to your application dated ----- I have pleasure to
inform you, that you have been appointed as Lecturer (C.H.B) in Botany
in the college namely Vivekanand College, Kolhapur. Tal-Karveer, Dist-Kolhapur
on CHB with effect from 01-11-2021 to 30-06-2022 by the local selection
committee/ by the committee constituted by Shri Swami Vivekanand Shikshan Sanstha, Kolhapur
on following terms and conditions :

1. Your appointment is on C.H.B. and is subject of approval from the University / Jt. Director and Dy. Director of the concerned area, as against temporary vacancy and is subject to availability of workload.
2. Your appointment is governed by the service conditions of U.G.C and Govt of Maharashtra as well as service conditions of Shri Swami Vivekanand Shikshan Sanstha, Kolhapur.
3. Your appointment on C.H.B. is subject to approval of the University / Jt. Director / Dy. Director or by any competent officer empowered to accord an approval.
4. your salary is also subject to grants made available to the institution by the Jt. Director / Dy. Director of Education officer of the concerned are or by education office of the concerned district as the case may be.
5. you can not leave service in the middle of the term.
6. You will have to accept terms stated above in writing within 7 days after receipt of this appointment order otherwise your appointment automatically stand as cancelled.
7. your appointment is for specific period and after expiry of the period stated above your services stand automatically terminated without notice to you.


Secretary

Shri Swami Vivekanand Shikshan Sanstha,
Kolhapur.

Copy to
The Principal / Head Master

Vivekanand College, Kolhapur.